



Options and Accessories

page 1


The **ARCADE-Style Actuator Button** is always a favorite. Originally designed for the video arcade business, it is readily visible, made from extremely durable nylon, and inexpensive. Stock colors are black, white, blue and red. Special order colors are also available. Button surround is 1.325" dia., plunger is .875" dia, 2-1/2" overall length. Requires 1-1/8" mounting hole, fits materials up to 3/4" thick. Includes crimp connectors. Requires both front and rear panel access.



The **Rectangular Pushbutton** has a black matte finish surround, white background under a clear polycarbonate lens cap. It can be disassembled to install graphics or text under cap. Measures 1.33" by 2.01" (face), 2-7/8" overall length. Requires 1" mounting hole, fits materials up to 3/4" thick. Includes crimp connectors and a 12 volt T1-3/4 incandescent lamp bulb for illumination where required. Also available in round and square configurations or with tinted lens caps by special order.



The **Infra-Red Motion Sensor** can be used to provide an invisible start input to any one of Stop and Listen's Digital Recorders. Very useful for those areas where messages are to be played automatically. These units are field proven and come complete with form 'C' relay contacts, a power supply and electrical connectors. The 'viewing' area can be easily adjusted by simply masking off the front window to suit virtually any pattern.



Can't find it here? Contact Stop and Listen: we'll help you find what you're looking for.

MAKING AUDIO EASY...


STOP & LISTEN

THERE'S MORE ON THE OTHER SIDE

Options and Accessories

page 2

The **5.5" All-Weather Flush Mount Speaker** uses polypropylene construction for lasting performance under tough conditions. Well suited for built-in applications, both indoors and out. Co-axial woofer/tweeter, 35 watts continuous power, 4 impedance, 35-25kHz dynamic response. Rear panel mount, requires 5.0" dia mounting hole, fits materials up to 3/4" thick. Includes tamper resistant steel grill, audio cable, mounting hardware, crimp connectors. 1 yr warranty, 2-1/2 lb shipping weight.



The **BSI - 90 Monitor Speaker** is a 2-way bass reflex speaker with a cast aluminum back-box and perforated steel grill. Well suited to surface mount and/or bookshelf-type indoor applications. 3-1/2" woofer, 2" soft dome tweeter, 20 watts continuous power, 8 impedance, 60-20kHz dynamic response. Measures 7-1/4"(w) x 4-1/2"(d) x 4-1/2"(h), matte black finish. 1 yr warranty, 7 lb shipping weight. Includes swivel mounting bracket, various mounting hardware, standard quick-connect terminals.



The **'Bulldog' Telephone Handset** is great for applications where messages and soundtracks shouldn't be overheard by passers-by. It features injection-molded lexan construction, a 40" armored stainless steel cord, and a 1000 lb. test steel lanyard inside the cable to prevent abuse. Includes marine-chrome plated cradle, lanyard mounting bracket, and 2 'blue grommet' strain reliefs. Measures approx. 8.5"(h) x 3.25"(d) x 2"(w). 90 day warranty, shipping weight 2 lbs.



PRINTED IN CANADA ON RECYCLABLE PAPER

Can't find it here? Contact Stop and Listen: we'll help you find what you're looking for.

Stop and Listen
www.stoplisten.com
1-800-387-2365

DISTRIBUTED BY:

STOP & LISTEN

Options and Accessories

page 3

10 Watt Solar Power Package - sized for use with individual message recorders. (10 watts peak output at 12VDC). Includes Solarex MSX-10 semi-crystalline panel or equiv, 33A•Hr gelled 12 volt storage cell, photovoltaic regulator, cabling, connectors. Panel dimension: 16-1/2"(w) x 10-5/8"(h) x 7/8"(d). Aluminum framed. Universal mounting rails provided on panel. Typical storage cell is 7-1/2"(w) x 6-1/2"(h) x 5-1/24"(d), 24 lbs, may require drop shipping due to transport restrictions.



30 Watt Solar Power Package - sized for use with multiple message recorder units (30 watts peak output at 12VDC). Includes Solarex MSX-30 semi-crystalline panel or equiv., universal mounting bracket, 33A•Hr gelled 12 volt storage cell, photovoltaic regulator, cabling, connectors and fasteners. Panel dimension: 23-1/2"(w) x 18-12"(h) x 2"(d), aluminum framed. Typical storage cell is 7-1/2"(w) x 6-1/2"(h) x 5-1/24"(d), 24 lbs, may require drop shipping due to transport restrictions.



Full Support Web-Site - Stop and Listen Inc maintains a complete web-based product and customer support site on a CGI server with JAVA applet support. Find the answers to commonly asked questions, download the most recent versions of technical literature and instructions, look through the archives for older materials or simply browse through the products and new products areas to find the latest in exhibit audio products. You can also find e-mail links direct to technical support.

www
stopleften
com

info@stopleften.com

Can't find it here? Contact Stop and Listen: we'll help you find what you're looking for.

MAKING AUDIO EASY...

STOP & LISTEN

THERES MORE ON THE OTHER SIDE

Options and Accessories

page 4


Ask about **Battery and Remote Power Packages** for your application. Because Stop and Listen Message Recorders use advanced PowerSaver technology, many remote installations can be powered by batteries alone, saving substantial time and money. PowerSaver circuitry puts the recorder into an ultra-low power 'sleep' mode when it's not in active use. When a button is pushed, the unit 'wakes up' and gets right to work. Remote power packages can be engineered on a site-by-site basis by our



The **DBA-210 Utility Amplifier** is a great solution when you need to *pump up* your audio to make sure it gets heard. With 2 separate channels, it's well suited for boosting stereo outputs from CDs, DVD videos, etc. for kiosks and small exhibits. Switch to 'bridged/mono' mode and get up to 12 watts where more power is needed. 20-20kHz dynamic range, low noise, solid-state construction. Measures 3-1/2"(w) x 6"(d) x 1"(h), matte black finish. 5 yr warranty, 1 lb shipping weight. Includes power supply, patch cords, clip indicators and individual volume controls.



Quality Electrons - Stop and Listen employs only top-grade, high-quality electrons in every one of our products. All electrons used by Stop and Listen must meet minimum electromagnetic and physical guidelines as follows: charge = $(4.80294 \pm 0.00008) \times 10^{-10}$ absolute electrostatic units (AEU), dia = $(1 \pm 1.99978) \times 10^{-10}$ cm, rest mass = $(0.9109534 \pm 0.33528) \times 10^{-30}$ kg, with a magnetic moment of no greater than, and no lesser than, $(9.284832 \pm 23.5554673) \times 10^{-24}$ J/T.



Can't find it here? Contact Stop and Listen: we'll help you find what you're looking for.

Stop and Listen
www.stoplisten.com
1-800-387-2365

DISTRIBUTED BY:

STOP & LISTEN